

GE22582

SAFETY DATA SHEET

1. Identification

Product identifier: GE22582

Other means of identification

Synonyms: PREMIUM CAULK - WHITE

Recommended use and restriction on use

Recommended use: For industrial use only.

Restrictions on use: Not known.

Manufacturer/Importer/Distributor Information : Momentive Performance Materials - Daytona
703 South Street
New Smyrna Beach FL 32168

Contact person : commercial.services@momentive.com

Telephone : General information
+1-800-295-2392

Emergency telephone number
Supplier : CHEMTREC
1-800-424-9300

2. Hazard(s) identification

Hazard Classification : Not classified

Label Elements

Hazard Symbol: No symbol
Signal Word: No signal word.
Hazard Statement: Not applicable
Precautionary Statements : Not applicable

Other hazards which do not result in GHS classification: None.

GE22582

3. Composition/information on ingredients

Mixtures

Chemical Identity	CAS number	Content in percent (%)*	Notes
(1) CALCIUM CARBONATE	1317-65-3	50 - <100%	# This substance has workplace exposure limit(s).
Plasticizer Polymer Additive	Trade secret	5 - <10%	No data available.
DISTILLATES, PETROLEUM, HYDROTREATED	64742-47-8	1 - <5%	# This substance has workplace exposure limit(s).
(1) QUARTZ	14808-60-7	0.1 - <1%	# This substance has workplace exposure limit(s).
(1) TITANIUM DIOXIDE	13463-67-7	0.1 - <1%	# This substance has workplace exposure limit(s).

* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

Trade secret information: ** A specific chemical identity and/or percentage of composition has been withheld as a trade secret.

(1) The respirable particle(s) listed above are inextricably bound within the polymer matrix, and therefore does not present an inhalation hazard during normal use of this product. Tooling or machining of the cured product (sanding, cutting, milling) may release hazardous, respirable substances.

4. First-aid measures

General information: No action shall be taken involving any personal risk or without suitable training.

Ingestion: Do NOT induce vomiting. Get medical attention immediately. Do not give victim anything to drink if he is unconscious.

Inhalation: Move to fresh air.

Skin Contact: Flush skin with large amounts of water for at least 15 minutes until no evidence of chemical remains. Wash with soap and water.

Eye contact: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

Most important symptoms/effects, acute and delayed

Symptoms: No data available.

GE22582

Hazards: No data available.

Indication of immediate medical attention and special treatment needed

Treatment: Treatment is symptomatic and supportive.

5. Fire-fighting measures

General Fire Hazards: Containers close to fire should be removed immediately or cooled with water. Remove or isolate all sources of ignition.

Suitable (and unsuitable) extinguishing media

Suitable extinguishing media: All standard extinguishing agents are suitable.

Unsuitable extinguishing media: Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical: In case of fire, carbon monoxide and carbon dioxide may be formed.

Special protective equipment and precautions for firefighters

Special fire fighting procedures: Cool fire-endangered containers with water.

Special protective equipment for fire-fighters: Firefighters must wear NIOSH/MSHA approved positive pressure self-contained breathing apparatus with full face mask and full protective clothing.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: Avoid contact with skin and eyes. Use only in well-ventilated areas. Avoid accidental ingestion of this material. Wash hands and face before eating, drinking, smoking, using toilet facilities, or applying cosmetics.

Keep container closed. Keep out of reach of children.

Methods and material for containment and cleaning up: Wipe, scrape or soak up in an inert material and put in a container for disposal. Wash walking surfaces with detergent and water to reduce slipping hazard. Wear proper protective equipment as specified in the protective equipment section.

Notification Procedures: Caution: Contaminated surfaces may be slippery. Stop leak if you can do so without risk.

Environmental Precautions: Prevent runoff from entering drains, sewers, or streams.

GE22582

7. Handling and storage

Precautions for safe handling: Sensitivity to static discharge is not expected. Do not get in eyes, on skin, on clothing. Do not taste or swallow. Wear protective gloves/protective clothing/eye protection/face protection. Use only with adequate ventilation.

Conditions for safe storage, including any incompatibilities: Keep away from heat, sparks and open flame. Keep container tightly closed and in a well-ventilated place. Use original container or packaging of similar material of construction

8. Exposure controls/personal protection

Control Parameters

Occupational Exposure Limits

Chemical Identity	Type	Exposure Limit Values	Source
(1) CALCIUM CARBONATE - Respirable.	REL	5 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2010)
(1) CALCIUM CARBONATE - Total	REL	10 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2010)
(1) CALCIUM CARBONATE - Total dust.	PEL	15 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
(1) CALCIUM CARBONATE - Respirable fraction.	PEL	5 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
(1) CALCIUM CARBONATE - Total dust.	TWA	15 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
(1) CALCIUM CARBONATE - Respirable fraction.	TWA	5 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
(1) CALCIUM CARBONATE - Total dust.	TWA	15 mg/m3	US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A (06 2008)
(1) CALCIUM CARBONATE - Respirable fraction.	TWA	5 mg/m3	US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A (06 2008)
DISTILLATES, PETROLEUM, HYDROTREA TED - Non-aerosol. - as total hydrocarbon vapor	TWA	200 mg/m3	US. ACGIH Threshold Limit Values (03 2015)
	TWA	200 mg/m3	US. ACGIH Threshold Limit Values (03 2015)
DISTILLATES, PETROLEUM, HYDROTREA TED	REL	100 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2010)
	AN ESL	350 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
	ST ESL	3,500 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
(1) QUARTZ - Respirable fraction.	TWA	0.025 mg/m3	US. ACGIH Threshold Limit Values (03 2015)
(1) QUARTZ - Respirable dust.	REL	0.05 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2010)
(1) QUARTZ - Respirable dust.	TWA	0.05 mg/m3	US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053) (03 2016)
	OSHA_ACT	0.025 mg/m3	US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053) (03 2016)
(1) QUARTZ - Respirable dust.	PEL	0.05 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (03 2016)
	TWA	0.1 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	TWA	0.1 mg/m3	US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A (06 2008)

GE22582

(1) QUARTZ - Particulate.	ST ESL	14 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
	AN ESL	0.27 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
(1) QUARTZ - Respirable dust.	TWA PEL	0.05 mg/m3	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants (10 2016)
(1) QUARTZ - Respirable.	TWA	2.4 millions of particles per cubic foot of air	US. OSHA Table Z-3 (29 CFR 1910.1000) (2000)
	TWA	0.1 mg/m3	US. OSHA Table Z-3 (29 CFR 1910.1000) (2000)
(1) QUARTZ	IDLH	50 mg/m3	US. NIOSH. Immediately Dangerous to Life or Health (IDLH) Values (10 2017)
(1) TITANIUM DIOXIDE	TWA	10 mg/m3	US. ACGIH Threshold Limit Values (03 2015)
(1) TITANIUM DIOXIDE - Total dust.	PEL	15 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
	TWA	10 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	TWA	10 mg/m3	US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A (06 2008)
(1) TITANIUM DIOXIDE - Particulate.	ST ESL	50 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
	AN ESL	5 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
(1) TITANIUM DIOXIDE - Total dust.	TWA PEL	10 mg/m3	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants (01 2015)
(1) TITANIUM DIOXIDE - Respirable fraction.	TWA PEL	5 mg/m3	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants (01 2015)
	TWA	15 millions of particles per cubic foot of air	US. OSHA Table Z-3 (29 CFR 1910.1000) (03 2016)
(1) TITANIUM DIOXIDE - Total dust.	TWA	15 mg/m3	US. OSHA Table Z-3 (29 CFR 1910.1000) (03 2016)
(1) TITANIUM DIOXIDE - Respirable fraction.	TWA	5 mg/m3	US. OSHA Table Z-3 (29 CFR 1910.1000) (03 2016)
(1) TITANIUM DIOXIDE - Total dust.	TWA	50 millions of particles per cubic foot of air	US. OSHA Table Z-3 (29 CFR 1910.1000) (03 2016)
(1) TITANIUM DIOXIDE	IDLH	5,000 mg/m3	US. NIOSH. Immediately Dangerous to Life or Health (IDLH) Values (10 2017)

This product contains one or more substances with an occupational exposure limit. However, the respirable particle(s) of this/these substance(s) are inextricably bound within the polymer matrix. Therefore, we do not expect an exposure to this/these substance(s) during normal use of this product. Tooling or machining of the cured product (sanding, cutting, milling) may release hazardous, respirable substances.

Appropriate Engineering Controls

Safety shower. Ventilation and other forms of engineering controls are preferred for controlling exposures. Respiratory protection may be needed for non-routine or emergency situations.

GE22582

Individual protection measures, such as personal protective equipment

- General information:** Ventilation and other forms of engineering controls are preferred for controlling exposures. Respiratory protection may be needed for non-routine or emergency situations.
- Eye/face protection:** Wear safety glasses with side shields (or goggles). Wear face shield if there is risk of splashes.
- Skin Protection**
- Hand Protection:** Neoprene
- Other:** Wear suitable protective clothing and eye/face protection.
- Respiratory Protection:** If exposure limits are exceeded or respiratory irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Supplied air respirators may be required for non-routine or emergency situations. Respiratory protection must be provided in accordance with OSHA regulations (see 29CFR 1910.134).
- Hygiene measures:** Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Provide adequate ventilation.

9. Physical and chemical properties

Appearance

- Physical state:** solid
- Form:** solid
- Color:** White
- Odor:** Acrylate
- Odor threshold:**
- pH:** 7.8 - 8.4
- Melting point/freezing point:** No data available.
- Initial boiling point and boiling range:** No data available.
- Flash Point:** > 93.3 °C (estimated)
- Evaporation rate:** No data available.
- Flammability (solid, gas):** No data available.
- Upper/lower limit on flammability or explosive limits**
- Flammability limit - upper (%):** No data available.
- Flammability limit - lower (%):** No data available.
- Explosive limit - upper (%):** No data available.
- Explosive limit - lower (%):** No data available.
- Heat of combustion:** No data available.

GE22582

Vapor pressure:	No data available.
Vapor density:	Not applicable
Density:	ca. 1.616 g/cm ³
Relative density:	1.61
Solubility(ies)	
Solubility in water:	Soluble
Solubility (other):	No data available.
Partition coefficient (n-octanol/water) Log Pow:	Not determined.
Auto-ignition temperature:	No data available.
Decomposition temperature:	No data available.
SADT:	No data available.
Viscosity, dynamic:	No data available.
Viscosity, kinematic:	No data available.
VOC:	32.7 g/l ;

10. Stability and reactivity

Reactivity:	No dangerous reaction if used as recommended.
Chemical Stability:	Material is stable under normal conditions.
Possibility of hazardous reactions:	Hazardous polymerisation does not occur.
Conditions to avoid:	Keep away from sources of ignition - No smoking.
Incompatible Materials:	None known.
Hazardous Decomposition Products:	Carbon dioxide Toxic fumes.

11. Toxicological information

Information on likely routes of exposure

Ingestion:	No data available.
Inhalation:	No data available.
Skin Contact:	No data available.
Eye contact:	No data available.

Symptoms related to the physical, chemical and toxicological characteristics

Ingestion:	No data available.
-------------------	--------------------

GE22582

Inhalation: No data available.

Skin Contact: No data available.

Eye contact: No data available.

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral

Product: Not classified for acute toxicity based on available data.

Specified substance(s):

(1) TITANIUM DIOXIDE LD 50 (Rat): > 10,000 mg/kg

Dermal

Product: Not classified for acute toxicity based on available data.

Specified substance(s):

(1) TITANIUM DIOXIDE LD 50 (Rabbit): > 10,000 mg/kg

Inhalation

Product: Not classified for acute toxicity based on available data.

Specified substance(s):

(1) TITANIUM DIOXIDE LC50 (Rat): > 6.8 mg/l

Repeated dose toxicity

Product: No data available.

Skin Corrosion/Irritation

Product: No data available.

Serious Eye Damage/Eye Irritation

Product: No data available.

Specified substance(s):

(1) TITANIUM DIOXIDE No eye irritation

Respiratory or Skin Sensitization

Product: No data available.

Carcinogenicity

GE22582

Product: No data available.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

(1) QUARTZ

US. National Toxicology Program (NTP) Report on Carcinogens:

(1) QUARTZ Known To Be Human Carcinogen.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):

No carcinogenic components identified

Germ Cell Mutagenicity

In vitro

Product: No data available.

In vivo

Product: No data available.

Reproductive toxicity

Product: No data available.

Specific Target Organ Toxicity - Single Exposure

Product: No data available.

Specific Target Organ Toxicity - Repeated Exposure

Product: No data available.

Aspiration Hazard

Product: No data available.

Other effects: None.

12. Ecological information

Ecotoxicity:

Acute hazards to the aquatic environment:

Fish

Product: No data available.

GE22582

Specified substance(s):
(1) TITANIUM DIOXIDE LC0 (Leuciscus idus, 48 h): > 1,000 mg/l

Aquatic Invertebrates
Product: No data available.

Chronic hazards to the aquatic environment:

Fish
Product: No data available.

Aquatic Invertebrates
Product: No data available.

Toxicity to Aquatic Plants
Product: No data available.

Persistence and Degradability

Biodegradation
Product: No data available.

Specified substance(s):
(1) TITANIUM DIOXIDE 0 %

BOD/COD Ratio
Product: No data available.

Bioaccumulative potential

Bioconcentration Factor (BCF)
Product: No data available.

Partition Coefficient n-octanol / water (log Kow)
Product: Log Kow: Not determined.

Mobility in soil: No data available.

Known or predicted distribution to environmental compartments

GE22582

(1) CALCIUM CARBONATE	No data available.
Plasticizer Polymer Additive	No data available.
DISTILLATES, PETROLEUM, HYDROTREATED	No data available.
(1) QUARTZ	No data available.
(1) TITANIUM DIOXIDE	No data available.

Other adverse effects: No data available.

13. Disposal considerations

General information: The generation of waste should be avoided or minimized wherever possible. See Section 8 for information on appropriate personal protective equipment. Do not discharge into drains, water courses or onto the ground.

Disposal instructions: Disposal should be made in accordance with federal, state and local regulations.

Contaminated Packaging: Dispose of as unused product.

14. Transport information

DOT
 Not regulated.

IMDG
 Not regulated.

IATA
 Not regulated.

Special precautions for user: This product is not regarded as dangerous goods according to the national and international regulations on the transport of dangerous goods.

15. Regulatory information

US Federal Regulations

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

<u>Chemical Identity</u> Plasticizer Polymer Additive	<u>Reportable quantity</u> The minimum concentration: TSCA 5(a)(2): 1.0% One-Time Export Notification only.
---	--

GE22582

CERCLA Hazardous Substance List (40 CFR 302.4):

None present or none present in regulated quantities.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Not classified

SARA 302 Extremely Hazardous Substance

None present or none present in regulated quantities.

SARA 304 Emergency Release Notification

None present or none present in regulated quantities.

SARA 311/312 Hazardous Chemical

<u>Chemical Identity</u>	<u>Threshold Planning Quantity</u>
(1) CALCIUM CARBONATE	10000 lbs
Plasticizer Polymer Additive	10000 lbs
DISTILLATES, PETROLEUM, HYDROTREATED	10000 lbs
(1) QUARTZ	10000 lbs
(1) TITANIUM DIOXIDE	10000 lbs

SARA 313 (TRI Reporting)

None present or none present in regulated quantities.

Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

None present or none present in regulated quantities.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):

None present or none present in regulated quantities.

US State Regulations

US. California Proposition 65



WARNING

Cancer and Reproductive Harm - www.P65Warnings.ca.gov

US. New Jersey Worker and Community Right-to-Know Act

<u>Chemical Identity</u>
(1) CALCIUM CARBONATE
2-propenoic acid, polymer Water
Plasticizer Polymer Additive
2-Propenoic acid, Butyl ester, -Polymer with Ethenyl Acetate
(1) QUARTZ

GE22582

(1) TITANIUM DIOXIDE

US. Massachusetts RTK - Substance List

Chemical Identity

DISTILLATES, PETROLEUM, HYDROTREATED

(1) QUARTZ

Acetaldehyde

Acetic acid ethenyl ester

Formaldehyde

Ethyl Acrylate

2-Propenamide

Acrylonitrile

US. Pennsylvania RTK - Hazardous Substances

Chemical Identity

(1) CALCIUM CARBONATE

DISTILLATES, PETROLEUM, HYDROTREATED

US. Rhode Island RTK

Chemical Identity

DISTILLATES, PETROLEUM, HYDROTREATED

GE22582

Inventory Status:

Australia AICS:	Not in compliance with the inventory.	Remarks: None.
Canada DSL Inventory List:	(Quantity restricted)	Remarks: None.
EINECS, ELINCS or NLP:	Not in compliance with the inventory.	Remarks: None.
Japan (ENCS) List:	Not in compliance with the inventory.	Remarks: None.
China Inv. Existing Chemical Substances:	Not in compliance with the inventory.	Remarks: None.
Korea Existing Chemicals Inv. (KECI):	Not in compliance with the inventory.	Remarks: None.
Canada NDSL Inventory:	Not in compliance with the inventory.	Remarks: None.
Philippines PICCS:	Not in compliance with the inventory.	Remarks: None.
US TSCA Inventory:	On or in compliance with the inventory	Remarks: None.
New Zealand Inventory of Chemicals:	Not in compliance with the inventory.	Remarks: None.
Taiwan Chemical Substance Inventory:	Not in compliance with the inventory.	Remarks: None.

16. Other information, including date of preparation or last revision

HMIS Hazard ID

Health	<input type="text" value="0"/>
Flammability	<input type="text" value="1"/>
Physical Hazards	<input type="text" value="0"/>
PERSONAL PROTECTION	

Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; RNP - Rating not possible; *Chronic health effect

Issue Date: 06/12/2019
Revision Date: No data available.
Version #: 5.1
Further Information: No data available.

GE22582

Disclaimer:

Notice to reader

Unless otherwise specified in section 1, Momentive products are intended for use in the manufacture and/or formulation of products and are not intended for direct consumer use. These products are not intended for long-lasting (> 30 days) implantation, injection or direct ingestion into the human body, nor for use in the manufacture of multiple use contraceptives. Keep out of the reach of children.

Further Information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safehandling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

®, *, and TM indicate trademarks owned by or licensed to Momentive.