



serving the nation's lead needs for over 50 years with a full line of radiation shielding products

1-888-RING-RPP
TOLL FREE FAX 1-866-554-8445

FULL LINE OF RADIATION SHIELDING PRODUCTS

MATERIAL SAFETY DATA SHEET – SOFT LEAD

GENERAL INFORMATION

Trade Name (Common Name or Synonym): Soft lead, corroding grade lead, pure lead

Manufacturer's Contact:

Radiation Protection Products, Inc.
P.O. Box 862
Wayzata, MN 55391

Tel. 1-888-RINGRPP

INGREDIENTS

Material or Component	C.A.B. #	Weight %	Permissible Air Limits
Lead	7439-92-1	99.9+%	0.05 mg/meter (OSHA)

PHYSICAL DATA

Appearance and Odor: Silver-gray metal, odorless. Various shapes and sizes.

Boiling Point: Greater than 2700°F

Specific Gravity (H₂O = 1): 11.34

Solubility in Water: Insoluble

Evaporation Rate: Not Applicable

Melting Point: 621°F

Vapor Density: Not Applicable

Vapor Pressure: Not Applicable

% Volatiles by Volume: Not Applicable

HEALTH HAZARD INFORMATION

Routes of Exposure:

Inhalation: When scattered in the air as a dust, fume or mist, it may be inhaled (breathed) and absorbed through the lungs and upper respiratory tract irritation and it can result in both acute and chronic overexposure.

Ingestion: When it gets into the mouth and is swallowed, it may be absorbed through the digestive system and can result in both acute and chronic overexposure.

Skin: Dust, fume or mist, are not readily absorbed through the skin; however, they may cause mechanical irritation to the skin.

Eyes: Dust, fume or mist may cause mechanical irritation.

Acute Overexposure: If left untreated - weakness, vomiting, loss of appetite, uncoordinated body movements, convulsions, stupor, bloody stools, and possible coma.

Chronic Overexposure: If left untreated – weakness, insomnia, hypertension, slight irritation to skin and eyes, metallic taste in mouth, anemia, constipation, headache, muscle and joint pains, neuromuscular dysfunction, possible paralysis and encapalopathy.

Lead and its inorganic compounds are neurotoxins that may produce peripheral neuropathy. For an overview of the effects of lead exposure, see OSHA 29CFR1910.1025, Appendix A.

FIRST AID

Inhalation: Remove from exposure. Get medical attention if experiencing affects of overexposure.

Ingestion: Get immediate medical attention.

Eyes: Flush with large quantities of water. Get immediate medical attention.

Skin: Wash thoroughly with soap and water.

FIRE AND EXPLOSION DATA

Flash Point

Not Applicable

Auto Ignition Temperature

Not Applicable

Flammable Limits in Air

Not Applicable

Fire Extinguishing Media

Dry chemical or carbon dioxide should be used on surrounding fire. DO NOT use water on fires where molten metal is present.

Special Fire Fighting Precautions

Use approved full-face-piece, self-contained breathing apparatus and full protective clothing if involved in a fire.

Unusual Fire and Explosion Hazard

Molten metals produce fume, dust or mist that may be toxic.

REACTIVITY DATA

Stability

Stable

Conditions to Avoid

Not Applicable

Hazardous Polymerization

Not Applicable

PERSONAL PROTECTION PRECAUTIONS

Ventilation: Local exhaust ventilation shall be provided in areas where exposures are above the permissible limits or threshold limit values specified by OSHA or other local, state, and federal regulations.

Respiratory Protection: Use of approved (OSHA 29CFR1910.1025 (f)) respirators is required for applications where adequate ventilation cannot be provided.

Eyes and Face: Face shields or vented goggles should be used around molten metal. Safety glasses should be used for operations generating flying pieces.

Gloves: Gloves should be worn when handling the product.

Other Clothing and Equipment: Full protective clothing is required if the permissible exposure limit is exceeded. Hard hat, safety shoes, and other safety equipment should be worn as appropriate for the environment.

SPECIAL PRECAUTIONS/PROCEDURES

Spill or Leak: Dust or particulate should be vacuumed or wet swept where vacuuming is infeasible. Place material in dry, closed containers for disposal or recycling. Do not use compressed air or dry sweeping for cleaning. Use approved respiratory protection if dust/fume exposure possibility exists.

Waste Disposal Method: Material should be recycled if at all possible. Collection, transportation, and storage should be in accordance with federal, state and local laws.

Storage: Store in a dry area where accidental contact with hydrogen peroxide is not possible.

Other Special Precautions/Procedures: Wash hands, face, neck and arms thoroughly before eating or smoking. Eating and smoking should be confined to non-contaminated areas. Work clothes and equipment should remain in designated contaminated areas, and should never be taken home or laundered with personal clothing. Do not use compressed air for blowing dust off of clothes.

Before using the product, consult the OSHA Federal Standard for Occupational Exposure to Lead 29CFR1910.1025.

ADDITIONAL INFORMATION

Biological Limit for Lead: 50 micrograms lead/100 grams whole blood.

RPP, Inc. PROVIDES NO WARRANTIES, EITHER EXPRESS OR IMPLIED, AND ASSUMES NO RESPONSIBILITY FOR THE ACCURACY OR COMPLETENESS OF THE DATA CONTAINED IN THIS DOCUMENT



1000 Superior Boulevard, Suite 310 • Wayzata, MN 55391
1.888.RINGRPP (1.888.746.4777) • TOLL FREE FAX: 1.866.554.8445
www.radiationproducts.com

serving the nation's lead needs for over 50 years with a full line of radiation shielding products

The information contained on our website, submittals, specifications, etc... is offered for assistance in specifying products and materials from Radiation Protection Products, Inc. It is not intended to be complete and Radiation Protection Products, Inc. does not assume any responsibility for the adequacy of the submittals/specifications for a particular application. These submittals/specifications are subject to change without notice and without incurring obligation. Actual performance may vary in specific applications. An appropriate and qualified design professional/structural engineer must verify suitability of products for use in a particular application, as well as review final submittals/specifications. Radiation Protection Products, Inc.