



# MATERIAL SAFETY DATA SHEET

EQUILON MSDS: 867240E-12 01/04/99

## SUZUKI PERFORMANCE 4-CYCLE MOTOR OIL 10W-40

### TELEPHONE NUMBER:

24 HOUR EMERGENCY ASSISTANCE  
EQUIVA SERVICES: 877-276-7283  
CHEMTREC: 800-424-9300

GENERAL MSDS ASSISTANCE  
877-276-7285

### NAME AND ADDRESS

EQUILON ENTERPRISES LLC  
PRODUCT STEWARDSHIP  
P.O. BOX 674414  
HOUSTON, TX 77267-4414

### SECTION I

#### NAME

PRODUCT: SUZUKI PERFORMANCE 4-CYCLE MOTOR OIL 10W-40  
CHEM NAME: MIXTURE (SEE SECTION II-A)  
CHEM FAMILY: PETROLEUM HYDROCARBON; MOTOR OIL  
SHELL CODE: 50071

HEALTH HAZARD: 1 FIRE HAZARD: 1 REACTIVITY: 0

### SECTION II-A

#### PRODUCT/INGREDIENT

NO.	COMPOSITION	CAS NO.	PERCENT
P	SUZUKI PERFORMANCE 4-CYCLE MOTOR OIL 10W-40		
1	HYDROTREATED HEAVY PARAFFINIC DISTILLATE	64742-54-7	0-80
2	SOLVENT DEWAXED HEAVY PARAFFINIC DISTILLATE	64742-65-0	0-80
3	ADDITIVE CONTAINING:	MIXTURE	20-30
3A	ZINC COMPOUND		

NFPA HAZARD RATING: HEALTH 0 FIRE 1 REACTIVITY 0

### SECTION II-B

#### ACUTE TOXICITY DATA

NO.	ACUTE ORAL LD50	ACUTE DERMAL LD50	ACUTE INHALATION LC50
P	NOT AVAILABLE		
1	>5.0 G/KG, RAT*	>5.0 G/KG, RABBIT*	
2	>5.0 G/KG, RAT*	>5.0 G/KG, RABBIT*	

\* BASED ON API STUDIES

---

SECTION III

HEALTH INFORMATION

---

THE HEALTH EFFECTS NOTED BELOW ARE CONSISTENT WITH REQUIREMENTS UNDER THE OSHA HAZARD COMMUNICATION STANDARD (29 CFR 1910.1200).

EYE CONTACT: LUBRICATING OILS ARE GENERALLY CONSIDERED NO MORE THAN MINIMALLY IRRITATING TO THE EYES, HOWEVER THIS PRODUCT CONTAINS A COMPONENT WHICH HAS BEEN IDENTIFIED AS AN EYE IRRITANT.

SKIN CONTACT: LUBRICATING OILS ARE GENERALLY CONSIDERED NO MORE THAN MILDLY IRRITATING TO THE SKIN. PROLONGED AND REPEATED CONTACT MAY RESULT IN VARIOUS SKIN DISORDERS SUCH AS DERMATITIS, FOLLICULITIS OR OIL ACNE.

INHALATION: INHALATION OF VAPOR (GENERATED AT HIGH TEMPERATURES ONLY) OR OIL MIST FROM THIS PRODUCT MAY RESULT IN MILD IRRITATION OF THE UPPER RESPIRATORY TRACT.

INGESTION: LUBRICATING OILS ARE GENERALLY CONSIDERED NO MORE THAN SLIGHTLY TOXIC IF SWALLOWED.

SIGNS AND SYMPTOMS: IRRITATION AS NOTED ABOVE.

AGGRAVATED MEDICAL CONDITIONS:

PREEXISTING SKIN AND RESPIRATORY DISORDERS MAY BE AGGRAVATED BY EXPOSURE TO THIS PRODUCT.

OTHER HEALTH EFFECTS:

THIS PRODUCT AND ITS COMPONENTS ARE NOT CLASSIFIED AS CARCINOGENS BY INTERNATIONAL AGENCY FOR RESEARCH ON CANCER (IARC), NATIONAL TOXICOLOGY PROGRAM (NTP) OR OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION (OSHA). THE INTERNATIONAL AGENCY FOR RESEARCH ON CANCER HAS DETERMINED THERE IS SUFFICIENT EVIDENCE FOR THE CARCINOGENICITY IN EXPERIMENTAL ANIMALS OF USED MOTOR OILS. HANDLING PROCEDURES AND SAFETY PRECAUTIONS IN THE MSDS SHOULD BE FOLLOWED TO MINIMIZE EMPLOYEE'S EXPOSURE TO THE USED PRODUCT.

---

SECTION IV

OCCUPATIONAL EXPOSURE LIMITS

---

COMP NO.	OSHA PEL/TWA	OSHA PEL/CEILING	TLV/TWA	ACGIH TLV/STEL	OTHER
---	-----	-----	-----	-----	-----
P	5 MG/M3*	NONE	5 MG/M3*	10 MG/M3*	NONE

\*OIL MIST, MINERAL

---

SECTION V

EMERGENCY AND FIRST AID PROCEDURES

---

EYE CONTACT: FLUSH EYES WITH PLENTY OF WATER FOR 15 MINUTES WHILE HOLDING EYELIDS OPEN. GET MEDICAL ATTENTION.

SKIN CONTACT: REMOVE CONTAMINATED CLOTHING/SHOES AND WIPE EXCESS FROM SKIN.

FLUSH SKIN WITH WATER. FOLLOW BY WASHING WITH SOAP AND WATER. IF IRRITATION OCCURS, GET MEDICAL ATTENTION. DO NOT REUSE CLOTHING UNTIL CLEANED.

INHALATION: REMOVE VICTIM TO FRESH AIR AND PROVIDE OXYGEN IF BREATHING IS DIFFICULT. GET MEDICAL ATTENTION.

INGESTION: DO NOT INDUCE VOMITING. IF VOMITING OCCURS SPONTANEOUSLY, KEEP HEAD BELOW HIPS TO PREVENT ASPIRATION OF LIQUID INTO THE LUNGS. GET MEDICAL ATTENTION.\*

NOTE TO PHYSICIAN: \*IF MORE THAN 2.0 ML PER KG HAS BEEN INGESTED AND VOMITING HAS NOT OCCURRED, EMESIS SHOULD BE INDUCED WITH SUPERVISION. KEEP VICTIM'S HEAD BELOW HIPS TO PREVENT ASPIRATION. IF SYMPTOMS SUCH AS LOSS OF GAG REFLEX, CONVULSIONS OR UNCONSCIOUSNESS OCCUR BEFORE EMESIS, GASTRIC LAVAGE USING A CUFFED ENDOTRACHEAL TUBE SHOULD BE CONSIDERED.

---

SECTION VI

SUPPLEMENTAL HEALTH INFORMATION

---

NONE IDENTIFIED.

---

SECTION VII

PHYSICAL DATA

---

BOILING POINT (DEG F):      SPECIFIC GRAVITY (H2O = 1):      VAPOR PRESSURE (MM HG):  
NOT AVAILABLE                      0.8927                                      <0.1

MELTING POINT (DEG F):              SOLUBILITY IN WATER:              VAPOR DENSITY (AIR = 1):  
-30 (POUR POINT)                      NEGLIGIBLE                                      NOT AVAILABLE

VISCOSITY: 13.8-15  
(CST @ 212 DEG. F)

EVAPORATION RATE (NORMAL BUTYL ACETATE = 1): NOT AVAILABLE

APPEARANCE AND ODOR: DARK RED LIQUID. SLIGHT HYDROCARBON ODOR.  
PHYS/CHEM PROPERTIES:                      SEE ABOVE FOR DETAILS

---

SECTION VIII

FIRE AND EXPLOSION HAZARDS

---

FLASH POINT AND METHOD: 401 DEG F (COC)  
FLAMMABLE LIMITS/PERCENT VOLUME IN AIR: LOWER: N/AV HIGHER: N/AV

EXTINGUISHING MEDIA:

USE WATER FOG, FOAM, DRY CHEMICAL OR CO2. DO NOT USE A DIRECT STREAM OF WATER. PRODUCT WILL FLOAT AND CAN BE REIGNITED ON SURFACE OF WATER.

SPECIAL FIRE FIGHTING PROCEDURES AND PRECAUTIONS:

MATERIAL WILL NOT BURN UNLESS PREHEATED. DO NOT ENTER CONFINED FIRE-SPACE WITHOUT FULL BUNKER GEAR (HELMET WITH FACE SHIELD, BUNKER COATS, GLOVES AND RUBBER BOOTS), INCLUDING A POSITIVE-PRESSURE NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS. COOL FIRE EXPOSED CONTAINERS WITH WATER.

UNUSUAL FIRE AND EXPLOSION HAZARDS:

NONE IDENTIFIED

---

SECTION IX

REACTIVITY

---

STABILITY: STABLE HAZARDOUS POLYMERIZATION WILL NOT OCCUR

CONDITIONS AND MATERIALS TO AVOID:

AVOID HEAT, OPEN FLAMES AND OXIDIZING MATERIALS.

HAZARDOUS DECOMPOSITION PRODUCTS:

THERMAL DECOMPOSITION PRODUCTS ARE HIGHLY DEPENDENT ON THE COMBUSTION CONDITIONS. A COMPLEX MIXTURE OF AIRBORNE SOLID, LIQUID, PARTICULATES AND GASES WILL EVOLVE WHEN THIS MATERIAL UNDERGOES PYROLYSIS OR COMBUSTION. CARBON MONOXIDE, HYDROGEN SULFIDE AND OTHER UNIDENTIFIED ORGANIC COMPOUNDS MAY BE FORMED UPON COMBUSTION.

---

SECTION X

EMPLOYEE PROTECTION

---

RESPIRATORY PROTECTION:

IF EXPOSURE MAY OR DOES EXCEED OCCUPATIONAL EXPOSURE LIMITS (SECTION IV) USE A NIOSH-APPROVED RESPIRATOR TO PREVENT OVEREXPOSURE. IN ACCORD WITH 29 CFR 1910.134 USE EITHER AN ATMOSPHERE-SUPPLYING RESPIRATOR OR AN AIR-PURIFYING RESPIRATOR FOR ORGANIC VAPORS.

PROTECTIVE CLOTHING

WEAR CHEMICAL RESISTANT GLOVES AND OTHER PROTECTIVE CLOTHING AS REQUIRED TO MINIMIZE SKIN CONTACT. WEAR SAFETY GOGGLES TO AVOID EYE CONTACT. TEST DATA FROM PUBLISHED LITERATURE AND/OR GLOVE AND CLOTHING MANUFACTURERS INDICATE THE BEST PROTECTION IS PROVIDED BY NITRILE GLOVES.

ADDITIONAL PROTECTIVE MEASURES:

NONE IDENTIFIED

---

SECTION XI

ENVIRONMENTAL PROTECTION

---

SPILL OR LEAK PROCEDURES:

MAY BURN ALTHOUGH NO READILY IGNITABLE. USE CAUTIOUS JUDGMENT WHEN CLEANING UP LARGE SPILLS. \*\*\* LARGE SPILLS \*\*\* WEAR RESPIRATOR AND PROTECTIVE CLOTHING AS APPROPRIATE. SHUT OFF SOURCE OF LEAK IF SAFE TO DO SO. DIKE AND CONTAIN. REMOVE WITH VACUUM TRUCKS OR PUMP TO STORAGE SALVAGE VESSELS. SOAK UP RESIDUE WITH AN ABSORBENT SUCH AS CLAY, SAND, OR OTHER SUITABLE MATERIALS; DISPOSE OF PROPERLY. FLUSH AREA WITH WATER TO REMOVE TRACE RESIDUE. \*\*\* SMALL SPILLS \*\*\* TAKE UP WITH AN ABSORBENT MATERIAL AND DISPOSE OF PROPERLY.

---

SECTION XII

SPECIAL PRECAUTIONS

---

MINIMIZE SKIN CONTACT. WASH WITH SOAP AND WATER BEFORE EATING, DRINKING, SMOKING OR USING TOILET FACILITIES. LAUNDRY CONTAMINATED CLOTHING BEFORE REUSE. PROPERLY DISPOSE OF CONTAMINATED LEATHER ARTICLES, INCLUDING SHOES, THAT CANNOT BE DECONTAMINATED.

STORE IN A COOL, DRY PLACE WITH ADEQUATE VENTILATION. KEEP AWAY FROM OPEN FLAMES AND HIGH TEMPERATURES.

---

SECTION XIII

TRANSPORTATION REQUIREMENTS

---

DEPARTMENT OF TRANSPORTATION CLASSIFICATION:  
NOT HAZARDOUS BY D.O.T. REGULATIONS

DOT PROPER SHIPPING NAME: NOT APPLICABLE

OTHER REQUIREMENTS: NOT APPLICABLE

---

SECTION XIV

OTHER REGULATORY CONTROLS

---

THE COMPONENTS OF THIS PRODUCT ARE LISTED ON THE EPA/TSCA INVENTORY OF CHEMICAL SUBSTANCES.

PROTECTION OF STRATOSPHERIC OZONE (PURSUANT TO SECTION 611 OF THE CLEAN AIR ACT AMENDMENTS OF 1990): PER 40 CFR PART 82, THIS PRODUCT DOES NOT CONTAIN NOR WAS IT DIRECTLY MANUFACTURED WITH ANY CLASS I OR CLASS II OZONE DEPLETING SUBSTANCES.

IN ACCORDANCE WITH SARA TITLE III, SECTION 313, THE ATTACHED ENVIRONMENTAL DATA SHEET (EDS) SHOULD ALWAYS BE COPIED AND SENT WITH THE MSDS.

---

SECTION XV

STATE REGULATORY INFORMATION

---

THE FOLLOWING CHEMICALS ARE SPECIFICALLY LISTED BY INDIVIDUAL STATES; OTHER PRODUCT SPECIFIC HEALTH AND SAFETY DATA IN OTHER SECTIONS OF THE MSDS MAY ALSO BE APPLICABLE FOR STATE REQUIREMENTS. FOR DETAILS ON YOUR REGULATORY REQUIREMENTS YOU SHOULD CONTACT THE APPROPRIATE AGENCY IN YOUR STATE.

STATE LISTED COMPONENT	CAS NO	PERCENT	STATE CODE
------------------------	--------	---------	------------

ZINC COMPOUND	NONE	1-2	MA, NJ
---------------	------	-----	--------

CA = CALIFORNIA HAZ. SUBST. LIST; CA65C, CA65R, CA65C/R = CALIFORNIA SAFE DRINKING WATER AND TOXICS ENFORCEMENT ACT OF 1986 OR PROPOSITION 65 LIST; CT = CONNECTICUT TOXIC. SUBST. LIST; FL = FLORIDA SUBST. LIST; IL = ILLINOIS TOX. SUBST. LIST; LA = LOUISIANA HAZ. SUBST. LIST; MA = MASSACHUSETTS SUBST. LIST; ME = MAINE HAZ. SUBST. LIST; MN = MINNESOTA HAZ. SUBST. LIST; NJ = NEW JERSEY HAZ. SUBST. LIST; PA = PENNSYLVANIA HAZ. SUBST. LIST; RI = RHODE ISLAND HAZ. SUBST. LIST.

SECTION XVI	SPECIAL NOTES
-------------	---------------

THIS MSDS HAS BEEN REVISED IN SECTIONS II-A, II-B, V, VI, VII, IX, XV AND EDS SECTIONS I AND II.

INFORMATION CONTAINED HEREIN IS BASED ON THE DATA AVAILABLE TO US AND IS BELIEVED TO BE CORRECT. HOWEVER, WE MAKE NO WARRANTY, EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THIS DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF. WE ASSUME NO RESPONSIBILITY FOR THE INJURY FROM THE USE OF THE PRODUCT DESCRIBED HEREIN.

WE ARE PROVIDING OUR MOST RECENT MATERIAL SAFETY DATA SHEET AND / OR ENVIRONMENTAL DATA SHEET. IF YOU WISH TO RECEIVE UPDATES TO THIS INFORMATION, PLEASE CALL OUR GENERAL MSDS ASSISTANCE LINE (877-276-7285) TO ENSURE THAT YOU ARE ADDED TO OUR REGULAR MSDS DISTRIBUTION SYSTEM



## ENVIRONMENTAL DATA SHEET

EQUILON EDS: 867240E

**SUZUKI PERFORMANCE 4-CYCLE MOTOR OIL 10W-40**

**TELEPHONE NUMBER:**

24 HOUR EMERGENCY ASSISTANCE  
EQUIVA SERVICES: 877-276-7283  
CHEMTREC: 800-424-9300

GENERAL MSDS ASSISTANCE  
877-276-7285

**NAME AND ADDRESS**

EQUILON ENTERPRISES  
 PRODUCT STEWARDSHIP  
 P.O. BOX 674414  
 HOUSTON, TX 77267-4414

**PRODUCT CODE:** 50071

SECTION I		PRODUCT COMPOSITION	
NO.	COMPOSITION	CAS	PERCENT
P	SUZUKI PERFORMANCE 4-CYCLE MOTOR OIL 10W-40	MIXTURE	100
1	HYDROTREATED HEAVY PARAFFINIC DISTILLATE	64742-54-7	0-80
2	SOLVENT DEWAXED HEAVY PARAFFINIC DISTILLATE	64742-65-0	0-80
3	ADDITIVES CONTAINING:	MIXTURE	20-30
3A	ZINC COMPOUND		

SECTION II		SARA TITLE III INFORMATION			
NO.	EHS RQ (*1)	EHS TPQ (*2)	SEC-313 (*3)	313 CATEGORY (*4)	311/312 CATEGORY (*5)

3A YES ZINC COMPOUNDS

- \*1 = REPORTABLE QUANTITY OF EXTREMELY HAZARDOUS SUBSTANCE, SEC 302
- \*2 = THRESHOLD PLANNING QUANTITY, EXTREMELY HAZARDOUS SUBSTANCE, SEC 302
- \*3 = TOXIC CHEMICAL, SEC 313
- \*4 = CATEGORY AS REQUIRED BY SEC 313 (40 CFR 372.65 C), MUST BE USED ON TOXIC RELEASE INVENTORY FORM
- \*5 = CATEGORY (FOR AGGREGATE REPORTING REQUIREMENTS UNDER SARA 311, 312)
  - HEALTH: H-1 = IMMEDIATE (ACUTE) HEALTH HAZARD
  - H-2 = DELAYED (CHRONIC) HEALTH HAZARD
  - PHYSICAL: P-3 = FIRE HAZARD
  - P-4 = SUDDEN RELEASE OF PRESSURE HAZARD
  - P-5 = REACTIVE HAZARD

**SECTION III ENVIRONMENTAL RELEASE INFORMATION**

THIS PRODUCT IS COVERED BY EPA'S COMPREHENSIVE ENVIRONMENTAL RESPONSE, COMPENSATION AND LIABILITY ACT (CERCLA) PETROLEUM EXCLUSION. THEREFORE RELEASES TO AIR, LAND, OR WATER ARE NOT REPORTABLE UNDER CERCLA ("SUPERFUND"). HOWEVER UNDER SECTION 311 OF EPA'S CLEAN WATER ACT (CWA), THIS PRODUCT IS CONSIDERED AN OIL. AS SUCH, SPILLS INTO OR LEADING TO SURFACE WATERS THAT CAUSE A SHEEN MUST BE REPORTED TO THE NATIONAL RESPONSE CENTER, 800-424-8802.

THIS PRODUCT IS AN OIL UNDER 49 CFR (DOT) PART 130. IF SHIPPED BY RAIL OR

HIGHWAY IN A TANK WITH A CAPACITY OF 3,500 GALLONS OR MORE, IT IS SUBJECT TO THE REQUIREMENTS OF PART 130. MIXTURE SOLUTIONS IN WHICH THIS PRODUCT IS PRESENT AT 10% OR MORE MAY ALSO BE SUBJECT TO THIS RULE.

---

SECTION IV

RCRA INFORMATION

---

IF THIS PRODUCT BECOMES A WASTE, IT WOULD NOT BE A HAZARDOUS WASTE BY RCRA CRITERIA (40 CFR 261). PLACE IN AN APPROPRIATE DISPOSAL FACILITY IN COMPLIANCE WITH LOCAL REGULATIONS.

---

THE INFORMATION CONTAINED HEREIN IS BASED ON THE DATA AVAILABLE TO US AND IS BELIEVED TO BE CORRECT. HOWEVER, WE MAKE NO WARRANTY, EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF. WE ASSUME NO RESPONSIBILITY FOR INJURY FROM THE USE OF THE PRODUCT DESCRIBED HEREIN.

---

KAREN G. HAYNES

-----  
EQUIVA SERVICES LLC  
P.O. BOX 674414  
HOUSTON, TX 77267-4414

FOR ADDITIONAL INFORMATION ON THIS ENVIRONMENTAL DATA PLEASE CALL  
(877) 276-7285

FOR EMERGENCY ASSISTANCE PLEASE CALL  
EQUIVA SERVICES LLC: (877) 276-7283  
CHEMTREC: (800) 424-9300